


Ridership



Average Weekday Ridership
Apr 2011: 1.15M
Up 3.6 % from Apr 2010

Year-to-Year Change: May 2010 to Present



Vehicle Maintenance

The MBTA measures in mean-miles between failures, the average distance a vehicle travels between breakdowns.

	Goal	Apr-11
Red	39,000	32,553
Orange	32,000	32,712
Blue	26,000	29,652
Green	5,500	5,069
Commuter Rail (Mar)	10,200	4,885
Bus	6,600	14,307


Schedule Performance

The MBTA measures reliability as the percentage of scheduled service operated. This measure captures our ability to maintain the system well and operate reliably.

	Apr-11
Red	99%
Orange	99%
Blue	99%
Green	100%
Bus	99%

System Maintenance

A key measure of system maintenance is the travel time impact of slowdowns caused by track condition. Impact is measured as minutes of speed restrictions.



Accessibility

Elevator Uptime
99.7%

Escalator Uptime
98.7%

Safety

Incidents per 1,000 vehicle-miles traveled

Apr-11

Red	0.004
Orange	0.000
Blue	0.000
Green	.0041
Bus	0.071

Accidents / Incidents are tracked "per 1,000 vehicle-miles traveled" (or per 100,000 passenger-miles traveled) to allow longer / more frequent lines to be compared fairly against shorter / less frequent lines.

Budget


The MBTA has set a goal of beating our operating budget by 2% in FY2011. The following chart tracks progress towards that goal.

April 11': 0.1%




On-Time Performance

On-Time performance is a key measure of commuter rail performance. A Commuter Rail train is considered "on time" if it arrives five minutes or less after the scheduled time.




For Subway, On-Time Performance compares the scheduled frequency of service to the actual frequency. An on-time train must leave the first station within 1.5x of the scheduled interval between it and the previous train.




Red Line

Vehicle Availability




Mean Miles Between Failures




Speed Restrictions


Travel Time in Minutes



Percentage of Scheduled Service Operated




On-Time Performance




Orange Line

Vehicle Availability




Mean Miles Between Failures




Speed Restrictions


Travel Time in Minutes



Percentage of Scheduled Service Operated




On-Time Performance




Blue Line

Vehicle Availability




Mean Miles Between Failures




Speed Restrictions


Travel Time in Minutes



Percentage of Scheduled Service Operated




On-Time Performance




Green Line

Vehicle Availability




Mean Miles Between Failures




Speed Restrictions

Travel Time in Minutes




Percentage of Scheduled Service Operated




Commuter Rail


Locomotive Availability




Mean Miles Between Failures



On-Time Performance (All Lines)




On-Time Performance by Line




Bus


Vehicle Availability



Mean Miles Between Failures




Percentage of Scheduled Service Operated




Stations

Elevator Performance




Escalator Performance




Safety

Vehicle Accidents / Incidents per 1,000 Vehicle-Miles Traveled


Bus




Blue Line




Green Line



Red Line



Orange Line




Vehicle Accidents / Incidents are tracked "per 1,000 vehicle-miles traveled" (or per 100,000 passenger-miles traveled) to allow longer / more frequent lines to be compared fairly against.


Statistics as defined in the Federal Transit Administration's National Transit Database.

Fare Collection


Full Service Vending Machine (% Uptime)




Cashless Vending Machine (% Uptime)




Standard Gate (% Uptime)



Farebox (% Uptime)



ADA Gate (% Uptime)



About The Measures

Vehicle availability (Subway, Bus, Commuter Rail)

Vehicle availability measures whether there are enough vehicles available to run all the service that is scheduled each day. A vehicle might not be available if it has a mechanical problem or if it is undergoing routine maintenance. Vehicle maintenance works to have enough buses and trains available each day. The number of vehicles required for service varies seasonally and over time as schedules change.

Mean Miles Between Failures (Subway, Bus, Commuter Rail)

Mean Miles Between Failures (MMBF) measures vehicle reliability. It is the average number of miles a vehicle travels between breakdowns. If one vehicle travels 5,000 miles in a month, and breaks down twice during that time, that vehicle has an MMBF of 2,500. Values can fluctuate greatly from month to month if the total number of failures is already small. High MMBF is achieved through ongoing vehicle maintenance, which includes everything from oil changes to major midlife overhauls, and by periodically buying new vehicles to replace old ones as they reach the end of their useful life.

Speed Restrictions (Subway)

Speed restrictions measure the amount of slowdown caused by track conditions. If a section of track falls below standards in some way, such as if the rail is worn down, a speed restriction is put in place to ensure safe operation. Trains operate at a reduced speed when traveling that section of track until the issue is addressed. If the impact on the Orange Line for a month is three minutes, that means that speed restrictions add three minutes to the fastest possible round trip. Trains don't actually operate at the maximum speed allowed by track conditions at all times (they slow down to a stop to pick up passengers, for instance) so the actual impact on travel time may be less than the theoretical impact that's shown.

Percent of Scheduled Service Operated (Subway, Bus)

Percent of Scheduled Service Operated shows the percentage of scheduled trips that the MBTA operated. The MBTA strives to come as close as possible to operating every scheduled trip on every day.

That requires having enough operators, well-maintained vehicles and track, and good schedules; and also keeping a certain number of extra operators and vehicles on standby to fill in if there's a problem. If a trip is nonetheless "dropped" on a frequent bus route or a subway line the MBTA will spread out other trips on the route to try to fill the gap as much as possible. If there's no way to avoid missing a trip on an infrequent bus route the MBTA will notify as many customers as it can via T-Alerts, mbta.com, and the customer support hotline.

On the subway system the trains on standby are sometimes used to run extra trips, so more trips may be operated than scheduled.

On-Time Performance (Subway, Commuter Rail)

On-time performance (OTP) shows how well our service follows our schedules. For each type of service we measure on-time performance differently to reflect the way the customer experiences it.

Subway customers walk to the subway platform at any time and wait for the next train, expecting the trains to run frequently. So the subway OTP standard compares the scheduled frequency of service to the actual frequency. Trains must leave the first station within 150% of the scheduled interval between them. If a Blue Line train is scheduled to leave Wonderland four minutes after the previous

train was scheduled to leave, and it leaves more than six minutes after the previous train left, then the train is late.

Commuter Rail customers use a published schedule of trip times. A Commuter Rail train is considered “on time” if it arrives four minutes or less after the scheduled time. The MBTA also tracks how many trips are less than 10 minutes late, which includes trips that are not “on time” but are still relatively close to schedule.